

# **FPL SEED LIBRARY** *2025 Seed Catalogue*



The following is a list of varieties which are <u>most likely</u> to be found in the seed library, but it may vary depending on availability.

## PEAS

## Dwarf grey sugar snow pea

An edible pod pea. For best quality, pods must be harvested before they develop large peas, does not need staking, but it is probably a good idea to use something, even a tomato cage to help

## Alaska

A very early maturing pea nicely suited to freezing and canning. Pods are light green, straight and blunt-ended and are filled with 6-8 light green, very sweet peas. Vines grow 60-90 cm (2-3') low supports help

## Sugar Ann

An edible pod pea. For best quality, pods must be harvested before they develop large peas, does not need staking, but it is probably a good idea to use something, even a tomato cage to help

Seed Type	Days to	Number of seeds	Number of plants	Spacing of	Depth to sow seeds
	Germinate	for a 4 foot row	per square foot	plants	
Peas	7 - 10	16 - 48	8	1 - 3 inches	1/2 inch

**Harvest** regularly to ensure maximum harvest, pick before peas become too large. Snow type peas should be picked before the peas develop too much. Plants may start growing again when weather cools. For soup peas, leave on the plant until pods dry, then harvest, dry further, and shell.

Easy to collect seed, wait until pods dry, harvest pods, remove peas, make sure hard & dry

**NOTE:** Bugs may occasionally snap off the first leaves of young peas and birds will sometimes pluck out small shoots, row covers or distractions to keep birds away may help.

## **BEANS (Bush)**

## Pencil pod yellow

This vigorous, stocky bush bean is a prolific producer. Fleshy, light-yellow pods 12 - 15cm (5 to 6") long are quite tender and generally stringless. A highly dependable bean, black seed.

## Royal burgundy

Purple podded variety, productive and long bearing. Will germinate even when the soil is still on the cool. When cooked for 2 minutes, the pods turn a bright green indicating the perfect blanching time for freezing!

## Blue Lake

Old fashioned favorite, with straight green tasty pods and white seeds.

Seed Type	Days to	Number of seeds	Number of plants per	Spacing of	Depth to sow
	Germinate	for a 4 foot row	square foot	plants	seeds
Beans (Bush)	6 - 10	24	6 - 9	2 - 4 inches	1/2 inch

Harvest regularly to ensure maximum harvest.

**Easy** to collect seed, wait until pods dry, harvest pods, remove beans, make sure hard & dry **NOTE:** Bugs may occasionally snap off the first leaves of young peas and birds will sometimes pluck out small shoots, row covers or distractions to keep birds away may help.

# **BEANS (Dry)**

Dry beans are grown to eat the seed, often used in soups and stews, a good protein substitute. *Kidney Bean* Grown in Fredericton for years, productive, typical chilli bean. 90-100 days, bush *Black Bean (black turtle)* Grown in Fredericton for years, productive, black seed, early, 80 days, bush *Jacobs Cattle Bean* Grown at Hayes Farm for years, a common dry bean used for 'baked beans'

# **BEANS (Pole)**

## Scarlet Runner

(Pole - GREEN: SNAP, SHELL, or DRY or Ornamental) 70 days.

Stunning bright red flowers on fast growing vines. Can be eaten at snap, shell or dry stage. They can grow well beyond 12 feet, grow with good support or along a fence. Eat beans young (or peel to remove outer edge and French cut (lengthwise) before cooking. Attracts hummingbirds.

**Skunk bean** Grown at Hayes Farm for years, beautiful black and white bean, 85 days, pole bean. Generally used as a dry bean.

Seed Type	Days to	Number of seeds	Number of plants	Spacing of	Depth to sow		
	Germinate	for a 4 foot row	per square foot	plants	seeds		
Beans (Pole)	6 - 10	10-12	2 - 4	4 - 6 inches	1/2 inch		

Harvest regularly to ensure maximum harvest.

Easy to collect seed, wait until pods dry, harvest pods, remove beans, make sure hard & dry

**NOTE:** Bugs may occasionally snap off the first leaves of young peas and birds will sometimes pluck out small shoots, row covers or distractions to keep birds away may help.

## ROOT

## Radish

Red roots with white, crisp, tender flesh, very mild taste. Radish tend to bolt (produce seed but not an edible root) when the spring weather suddenly gets hot. If this happens, allow the seed pods to develop and eat them while they are green, the pods are just as tasty as the radish itself.

**Planting Instructions: Direct seed** early in spring. Thin plants, allowing 9 or more plants per sq ft., plant every 2-3 weeks for continuous crop harvest in 30-40 days once root at desired size.

Seed Type	Days to	Number of seeds	Number of plants per	Spacing of	Depth to sow
	Germinate	for a 4 foot row	square foot	plants	seeds
Radish	5 - 7	48	16	1 inch	1/4 inch

**Harvest** Will bolt in the heat of summer, plant again in the fall. Plant in the same row with carrots, the radish will be harvested before the carrots get very big and will save time thinning carrots.

**Easy** to collect seed, leave the unharvested radish in the ground and allow flower stem to grow, flower then form seed pods and collect seeds once pods are dry.

## Early Wonder Red Beet

Quick to mature, deep red, tender roots, tasty greens.

**Planting Instructions: Direct seed** early in spring. Thin plants as needed, plant seeds every 2-3 weeks for continuous crop, do not plant after mid-July to mid-August (poor germination from high soil temperatures), excessive rain or watering may lead to lots of leaf growth and pale or small roots.

## Green Lutz Beet

Good storage beet, red roots, lots of tasty greens which are green rather than tinged with red.

Seed Type	Days to	Number of seeds	Number of plants per	Spacing of	Depth to sow
	Germinate	for a 4 foot row	square foot	plants	seeds
Beets	12 - 14	16 - 48	9	1 - 3 inches	1/2 - 1 inch

Harvest greens early, and roots when they get to desired size.

**Difficult** to collect seed, roots must be kept overwinter and allowed to grow the following year, avoid crosspollination with other beets or swiss chard.

#### Carrot, regular orange variety

Orange carrots that store well, 15 cm (6") or more in length.

**Planting Instructions: Direct seed** early in spring. Thin plants, allowing 9 or more plants per sq ft., plant seeds every 2-3 weeks for continuous crop, cover planting bed with damp burlap or wooden boards to assist in keeping the seeds evenly moist, remove cover when seeds germinate.

Seed Type	Days to Germinate	Number of seeds for a 4 foot row	Number of plants per square foot	Spacing of plants	Depth to sow seeds
Carrots	14 - 21	16 - 48	16	1 - 3 inches	1/4 - 1/2 inch

Harvest anytime after plant root has turned orange, at desired size.

**Difficult** to collect seed, roots must be kept overwinter and allowed to grow the following year, avoid crosspollination with other carrot varieties, or wild carrot.

## Laurentian Rutabaga (what most call Turnip)

Excellent for winter storage. Smooth globe-shaped roots have deep purple shoulders and fine-grained yellow flesh. Boron is key for the prevention of Brown Heart (water core)

Planting Instructions: Direct seed early in spring. Thin plants to the correct spacing.

#### Turnip, Market express

Salad type turnip with white root, eat raw or cooked, not for storage, matures quickly

Seed Type	Days to	Number of seeds	Number of plants	Spacing of	Depth to sow
	Germinate	for a 4 foot row	per square foot	plants	seeds
Rutabaga	5 - 7	8 - 12	4 – 6	4 - 6 inches	1/4 - 1/2 inch
Turnip	7-10	16-20	9-12	2-4 inches	

**Difficult** to collect seed. Over winter to produce seed the second year, pollinated by insects.

## Jerusalem Artichokes (Passamaquoddy/Skorospelka)

Perennial edible root. Super easy to grow, great yields of nutritious tubers, and excellent over-wintering and storage qualities. Even makes a pretty (and sturdy...really sturdy) windbreak or natural privacy fence. Plants have deep green foliage with 3" bright yellow, single sunflowers and can reach 10' in height. A suitable substitute for starchy foods, such as potatoes or pasta. Originating in North America, this perennial is a relative of the sunflower' *contact NBCHG Garden Director - Carol Muncer at carol@nbchg.org* 

## CORN

*Flint* short season, traditional 3 sisters variety, edible if properly prepared and ornamental.

*Sunnyvee* short season, sweet yellow corn, tolerates cool soil, short 6-foot plant.

**Planting Instructions: Direct seed** mid to late May or start indoors 4-6 weeks early. Plant in blocks rather than straight rows for better pollination.

Seed Type	Days to	Number of seeds	Number of plants	Spacing of	Depth to sow
	Germinate	for a 4 foot row	per square foot	plants	seeds
Corn	7-10	8 - 12	2	8-10 inches	1-2 inches

Harvest when cob seems full and silks at end are drying.

**Difficult** to get pure seed as crosspollination is easy. To collect seed, leave cob on plant as long as possible, strip off outer leaves and allow to thoroughly dry.

## GREENS

## Bloomsdale long standing Spinach

This standard Savoy leaf-form is excellent raw in salads or cooked as a side dish.

Planting Instructions: Direct seed early in spring, early fall or don't plant in summers heat. Thin plants.

Seed Type	Days to	Number of seeds	Number of plants	Spacing of	Depth to sow seeds
	Germinate	for a 4 foot row	per square foot	plants	
Spinach	8 - 10	8 - 16	9	3 - 6 inches	1/2 inch

**Harvest** by picking outer leaves, alternately cut off plant leaving root to grow again. Bolts easily when it gets hot, plant a few plants every 2-3 weeks for continuous crop, grows well into the fall.

**Easy** to collect seed, when it bolts or suddenly sends up a long center stalk, flowers form, seeds are inside the dead flower. Collect seed from slow to bolt plants.

## Arugula and Mustard (Hayes Farm seed)

Usually grown as baby greens, does best in early spring and the fall, direct seed ½ to 1 inch apart scattered over bed.

### Lettuce, blend

A blend of lettuce types: loose leaf, romaine, heading. Lettuce is a sun-loving cool weather crop. Sow as soon as the soil can be worked in the spring, then every two weeks thereafter to ensure a continuous supply.

**Harvest** by picking outer leaves or alternately cut off head leaving root to grow again. Bolts easily when it gets hot, plant a few plants every 2-3 weeks for continuous crop, grows well into the fall.

**Easy** to collect seed, when it bolts or suddenly sends up a long center stalk, flowers form, seeds are inside the dead flower. Collect seed from slow to bolt plants

Planting Instructions: Direct seed early in spring or start indoors. Space plants 6-8 "apart, depends on type

Seed Type	Days to Germinate	Number of seeds for a 4 foot row	Number of plants per square foot	Spacing of plants	Depth to sow seeds
Lettuce)	7 - 10	12	4 - 9	6-8 inches	1/4 - 1/2 inch

## **BROCCOLI, KALE, SWISS CHARD, CABBAGE**

## Broccoli, Green Sprouting

An old Italian variety, matures early, produces main central head, once picked numerous smaller side heads are produced throughout the season. Keep all heads picked otherwise they will go to seed. Best started 6-8 weeks before last frost.

## Brussel Sprouts (Hayes Farm Purple)

Our own seed, short season with purple veined sprouts. Vigorous and hardy. Color deepens in the fall

#### Golden Acre Cabbage

An early harvest green cabbage, hardy, does not store well. Best started 6-8 weeks before last frost.

#### Kale, Hayes Farm Garden

Kale is hardy and taste improves with frost in Fall. Best started 6-8 weeks before last frost, but also does well direct seeded.

*Swiss Chard Bright Lights* Grown and used very much like Kale, but this plant is a close member of the beet family

Planting Instructions: Direct seed early in spring or start indoors.

Seed Type	Days to	Number of	Number of plants	Spacing of	Depth to sow
	Germinate	plants per foot	per square foot	plants	seeds
greens	7-14	1-3	1-2	6-12 inch	¼" to ½ inch

Harvest by picking outer lower leaves of the kale/chard, or initially the center head of the broccoli followed by the side shoots. Do not wait too long to pick the broccoli center head, it may not become large depending on growing conditions and may quickly go to flower. Remove the whole cabbage head when developed.
Easy to collect broccoli seed, leave a few plants or some side shoots of a producing plant to flower and go to seed. Harvest seed pods once dry. Broccoli will cross pollinate with other members of the cabbage family if they are in flower at the same time. Kale requires over wintering but being hardy it over winters very easily. Allow the over wintered plant(s) to flower and go to seed as with broccoli. Kale will flower earlier than broccoli so cross pollination with these two is minimal.

## **CUCUMBER and SQUASH FAMILY**

### Cucumber, Garden

Basic garden cucumber, productive

**Planting Instructions: Direct seed** mid to late May, or grow under a cold frame starting early May. Plant 2 per sq ft or 6 "apart. Plant 2- 3 seeds per hole and thin out weaker plants, use a trellis or cage to grow up.

Seed Type	Days to Germinate	Number of seeds for a 4 foot row	Number of plants per square foot	Spacing of plants	Depth to sow seeds
Cucumber	7 - 10	4 - 8	2-3	6 - 12 inches	1/2 inch

Harvest regularly as they get to desired size.

**Easy** to collect seed, but must not be grown near another similar variety, leave a healthy fruit to over ripen, harvest, and collect seeds, the wet method will work.

#### Buttercup winter squash

Smaller fruit with thick, fibreless, orange, sweet tasting flesh The skin is dark green with narrow grey stripes and slight mottling. Suitable for 3 sisters planting.

#### Pie Pumpkin

Small pumpkin suitable for pumpkin pie and such.

#### **Halloween Pumpkin**

For Fun, large pumpkin suitable for carving

**Planting Instructions: Direct seed** mid to late May or start indoors 4-6 weeks early. Winter squash need lots of room to spread. Best planted on the outer edge of the garden where they can spread freely. Small fruiting varieties can be grown up a trellis.

Seed Type	Days to	Number of seeds	Number of plants	Spacing of	Depth to sow
	Germinate	for a 4 foot row	per square foot	plants	seeds
Pumpkin	7-12	2-3	Less than 1	18-36 in	1 inch
Squash					

**Easy** to collect seed, but must not be grown near another similar variety, leave a healthy fruit to fully ripen, harvest, allow to cure for 1 month, and collect seeds

#### **Dark Green Zucchini**

This compact, bushy variety is very productive. Harvest fruit for best quality when 10-12" long.

Planting Instructions: Direct seed mid to late May or start indoors early. The plant gets quite large.

Seed Type	Days to Germinate	Number of seeds for a 4 foot row	Number of plants per square foot	Spacing of plants	Depth to sow seeds
Zucchini	7-12	4	Less than 1	12-18 in	1 inch

Harvest regularly to ensure maximum harvest.

**Easy** to collect seed, but must not be grown near another similar variety, leave a healthy fruit to over ripen, harvest, and collect seeds

**NOTE:** Cucumber beetles are a problem. Protect your young plants by covering with fine netting to prevent the beetles reaching the young plants. When plants become bigger, they are fine. Otherwise, it is best to plant late in the season past the time when the beetles are active.

## ΤΟΜΑΤΟ

### **Mountain Princess**

This Appalachian heirloom features soft-skinned tomatoes, semi determinate plants, early and productive market sized fruits. (3 oz or bigger)

#### Mount Roma

Densely packed with firm, meaty flesh, plum/paste type good for cooking. and top choice for green tomatoes—superb in chow and relish recipes. Determinate plants, productive and early.

#### Redheart

Slightly heartshaped tasty fruit on a compact plant.

#### **Tribes Tobique**

Discovered on the banks of the Tobique River, hardy short season, semi determinate plants, productive.

#### Currant

Tiny currant sized fruit, either red or yellow indeterminate plants, productive, require trellising.

#### Sweet 100

Cherry sized sweet and tasty fruit, either red or yellow indeterminate plants, productive, require trellising.

#### **Golden Cherry**

Larger than sweet 100, golden yellow tasty fruit on indeterminate plants.

**Planting Instructions: Best** started indoor in March (6-8 weeks before last frost). Transplant outside mid to late May. *Make sure you know if your tomato is determinate (needs a stake or cage) or indeterminate where they grow much taller needing more trellising and produce until frost* 

Seed Type	Days to	Number of seeds for a	Number of plants per	Spacing of	Depth to sow
	Germinate	4 foot row	square foot	plants	seeds
Tomatoes	8-10	3-4	1 or less	24-36 in	1/4 in

Harvest: harvest as fruits ripen most varieties produce until frost.

Easy to save seeds: see fermentation method. May self-seed in garden from tomatoes left on ground.

## **PEPPERS/ EGGPLANT/ TOMATILLO**

#### California Wonder Bell Pepper

Traditional bell shaped sweet pepper, very productive short season variety.

#### **Doehill Pepper**

Short season, squat, small sweet pepper, very productive, good for stuffing

#### Sweet Habanero Pepper

Traditional habanero shape and taste without the heat very productive short season variety.

#### Chili Pepper

Traditional red chili shaped hot pepper, very productive short season variety, compact plant

#### Tomatillo

Large productive plants, need to have at least 2 -3 plants to properly pollinate.

## Eggplant, Nord

Short season productive plants with a 'normal' shaped fruit but smaller in size than commercial.

**Planting Instructions: Best** started indoor in early March (6-8 weeks before last frost). Transplant outside mid to late May. Plants may need a cage or stake. Plant spacing 1 per square foot or 12-18".

Seed Type	Days to	Number of seeds	Number of plants	Spacing of	Depth to sow seeds
	Germinate	for a 4 foot row	per square foot	plants	
Peppers Eggplant	14-20	4-8	1 or less	8-18 inches	1/4 in.
tomatillo	14-20	1		18-24 inches	

Harvest: harvest as fruits ripen most varieties produce until frost.

Easy to save seeds: Leave pepper to fully ripen on plant, cut open and collect the seeds, allow to dry. *NOTE: When saving seed especially tomato and pepper, it is important to list the exact variety as all the seeds look the same.* 

## HERBS

## Dill (Hayes Farm Garden)

This common herb boasts a variety of culinary uses from sauces to pickles. Large flower heads can be dried for flower arrangements. Tall plants, thin to 6" apart, harvest leaves, or wait for seeds to develop.

### Cilantro (also called coriander) Hayes Farm Garden

Annual. Leaves are green and flat, resembling Italian parsley. Cilantro is also a great companion plant in the garden. Plant between your most pest-sensitive crops to confuse the bugs! Cilantro is best direct seeded and will go to seed when the weather warms up. Seeds are used as a spice. Plant often for a continuous supply

#### Basil

Basil is rich, spicy and mildly peppery. An annual plant, easily grown from seed, can be started early indoors. Frost sensitive so don't plant outside until all danger of frost has passed.

#### Parsley (Hayes Farm Garden)

A biennial plant may over winter to produce seed the following year. Seed can be used like celery seed. Curly or a flat leaf variety depending on availability

## FRUIT

## Ground Cherry

Delicious tropical taste in an attractive paper wrapper. Ground cherries are very sweet and taste a bit like pineapples. Can be used in preserves, pies, or eaten raw. The fruit from these prolific plants can be stored for 3-4 weeks after harvesting. Start indoors like peppers. Matures in 60-65 days after transplanting. Can direct seed in the garden with a later harvest.

**Planting Instructions: Direct seed** early in spring, cover lightly or start indoors (best). Grows like tomatoes, some are tall and some grow wide but near the ground. Seed several seeds and weed out all but the strongest plants, spacing 1 per square foot, or 12-18" apart.

**Harvest**: berries form inside a paper like husk and are ripe when they fall; plant produces until frost. **Easy** to collect seed, collect some very ripe berries, squish out the tiny seeds into a bowl, rub gently to clean, pour off residue and keep the tiny seeds, allow to dry. Easily self-seeds in garden.

## **FLOWERS**

## Calendula (edible flower)

It has been popular among gardeners for centuries for good reasons: Easy to grow from seed (and easy to save seeds!), blooms from June to early autumn, wide medicinal and culinary uses.

#### Sunflower

Tall sunflower with one or several large flower heads. From Marysville Garden or Hayes Farm, Types: oil seed (for oil or birds), regular seeded (eating or birds), or mixture

#### Marigold

Garden marigolds of various colors, good to keep bad bugs away from the garden. Can start early or direct seed in spring.